

Specific characteristics of this model:

- ✓ Portable model; installs and removes in a jiffy!
- \checkmark Filter and dust bag included.
- ✓ Activac1 filter supplied with the unit.
- ✓ As powerful as our regular central vacuum systems.
- ✓ Made of stainless steel.





Carry it everywhere!





ATOMIK60

- Polyester filter, 7" / 18 cm
- Dust bag (available with or without zipper)
- On/Off switch
- Activac1 filter supplied with the unit





ECHNICAL DATA VALUES

AIRWATTS 600 mmH₂0 3175 m³/h 293 DECIBEL 64 dB at 10' / 64 dB at 3 m VOLTAGE 230 WATTS 1610 14" / 35 cm HEIGHT DIAMETER 7" / 18 cm CAPACITY 0.39 gal. / 1.5 L WEIGHT 11 lb / 5 kg BREAKER 8 A

MOTOR

UNIT

MOTOR CODE	MOTE-39
QUANTITY	1
DIAMETER	5.7" / 14 cm
STAGES	2
FANS	6
AMPS	7

CE Certified Product

* Use of a bag is recommended to facilitate maintenance and extend the life of the filter and of some parts.

This unit can vacuum up water with the liquid interceptor only (RECU-02DVI).

All illustrations, specifications, colors and photographs shown may vary. The power values may vary. These are calculated according to the voltage used in the factory and in accordance to the supplier's technicalities. While Drainvac takes care to ensure that the information contained in this publication is accurate, it cannot guarantee complete accuracy. Drainvac is not responsible for errors or omissions contained in this publication.